



ClearOne  
 Investor Relations Department  
 Edgewater Corporate Park South  
 Tower  
 5225 Wiley Post Way Suite 500  
 Salt Lake City, UT 84116  
 United States

[Visit IR website](#)   
[Sign-up for email alerts](#) 

**NASDAQ: CLRO** <sup>1</sup>

Last Trade: 9.90

Trade Time: 2:51 PM ET  
 May 24, 2017

Change: -0.20   
 (1.972%)

Day Range 9.86 - 9.90

52-Week Range 9.10 - 12.60

Volume 519

Market Cap. 86.139  
 (\$M)

Shares Out (M) 8.700

<sup>1</sup> The stock information is provided by eSignal, stock charts are provided by EDGAR Online. Stock information is delayed approximately 20 minutes.

## Company Profile

ClearOne is a communications solutions company that develops and sells audio conferencing systems and other related products for audio, video and Web conferencing applications. The reliability, flexibility and performance of ClearOne's comprehensive solutions create a natural communications environment, which saves organizations time and money by enabling more effective and efficient communication.

... [\(more\)](#)

## Stock Performance



### Press Releases [\[ View all \]](#)

- May 22, 2017  
[ClearOne to Present at the 18th Annual B. Riley & Co. Investor Conference](#)
- May 9, 2017  
[ClearOne Reports First Quarter 2017 Financial Results](#)
- May 4, 2017  
[ClearOne Announces Record Date for 2017 Second-Quarter Dividend](#)
- May 4, 2017  
[ClearOne to Report 2017 First-Quarter Financial Results, and Host Conference Call on Tuesday, May 9, 2017](#)
- May 3, 2017  
[ClearOne Awarded New Patent for Acoustical Innovation on Beamforming Microphones With Orientation Sensors](#)

### Events [\[ View all \]](#)

There are no events to display at this time. Please check back later.

### Financials [\[ View all \]](#)

- [First Quarter Financial Results](#)
- Mar 16, 2017  
[Annual Report \(10-K\)](#)
- Apr 5, 2017  
[Definitive Proxy Statement](#)
- May 10, 2017  
[Quarterly Report \(10-Q\)](#)
- Nov 9, 2016  
[Quarterly Report \(10-Q\)](#)
- Aug 4, 2016  
[Quarterly Report \(10-Q\)](#)